


Downlights

VIAREGGIO

INTERIOR
DOWNLIGHT
ADJUSTABLE



Adjustable, ceiling recessed LED downlight with symmetrical light distribution on a wide beam. Viareggio with a clean and well-balanced design is ideal for functional and decorative applications in interior. Low installation depth required. Round frame.

Body: BRASS
Frame: BRASS
Protective glass: SANDED GLASS
Color temperature: 2700 K - 3000 K

Note : Driver not included. 



VIAREGGIO Ø 94 - 10 W


DRIVER TENSION: 110 - 220 
Vf 28 If 350 mA
24 V DC - 5 W 

TEBE

INTERIOR
DOWNLIGHT
ADJUSTABLE
AISI 316L S.STEEL



Adjustable, ceiling recessed, LED downlight with symmetrical light distribution on a narrow beam. Tebe enhance every environment putting emphasis on details or architectural elements in interior. Low installation depth required. Round frame.

Body: AISI 316L Stainless Steel
Frame: AISI 316L Stainless Steel
Protective glass: SANDED GLASS
Color temperature: 2700 K - 3000 K

Note : Driver not included. 






TEBE Ø 80 - 5 W

DRIVER TENSION: 110 - 220 
Vf 9 If 500 mA
24 V DC - 5 W 





DESERT / FLAT DOWNLIGHT - 5W - Vf 9 v dc If 500 mA / 5 W - 24 v dc * LUMEN & LUX FLOW DATA RELATIVE TO CSL VERSION LED CRI 80 / 3000 K



MODEL SPECIFICS:

MODEL CODE: LUMEN: LM/W: BEAM: CRI:
20DESERF01 245 52 73° 80




VARIABLE PRODUCT CODES:

POWER SUPPLY: Code: N (Vf 9 If 500 - CSL) Code: D (24 v dc - CLL)	COLOR TEMPERATURE: Code: 2 (2700 Kelvin) Code: 3 (3000 Kelvin)	FINISHES: Code: SS (S/Steel AISI 316L) Code: LA (Lacquered RAL 9010)
---	--	--



* ADD THE VARIABLE CODES TO THE ITEM MASTER CODE.

BARON DOWNLIGHT - 10W - Vf 28 v dc If 350 mA * LUMEN & LUX FLOW DATA RELATIVE TO CSL VERSION LED CRI 80 / 3000 K



MODEL SPECIFICS:

MODEL CODE: LUMEN: LM/W: BEAM: CRI:
20BARON01 715 81 90° 80




VARIABLE PRODUCT CODES:

POWER SUPPLY: Code: N (Vf 28 If 350 - CSL)	COLOR TEMPERATURE: Code: 2 (2700 Kelvin) Code: 3 (3000 Kelvin)	FINISHES: Code: SS (S/Steel AISI 316L) Code: LA (Lacquered RAL 9010)
---	--	--



* ADD THE VARIABLE CODES TO THE ITEM MASTER CODE.

TIDE GLASS DOWNLIGHT - 12W - Vf 34 v dc If 350 mA * LUMEN & LUX FLOW DATA RELATIVE TO CSL VERSION LED CRI 80 / 3000 K



MODEL SPECIFICS:

MODEL CODE: LUMEN: LM/W: BEAM: CRI:
20TIDEG01 784 69 86° 80

VARIABLE PRODUCT CODES:




POWER SUPPLY: Code: N (Vf 34 If 350 - CSL)	COLOR TEMPERATURE: Code: 2 (2700 Kelvin) Code: 3 (3000 Kelvin)	FINISHES: Code: GL (Glass)
---	--	-------------------------------



* ADD THE VARIABLE CODES TO THE ITEM MASTER CODE.



MAIOR OR DOWNLIGHT - 5W - Vf 9 v dc If 500 mA / 5 W - 24 v dc * LUMEN & LUX FLOW DATA RELATIVE TO CSL VERSION LED CRI 80 / 3000 K



MODEL SPECIFICS:

MODEL CODE: LUMEN: LM/W: BEAM: CRI:
20MAIOROR01 264 57 42° 80




VARIABLE PRODUCT CODES:

POWER SUPPLY: Code: N (Vf 9 If 500 - CSL) Code: D (24 v dc - CLL)	COLOR TEMPERATURE: Code: 2 (2700 Kelvin) Code: 3 (3000 Kelvin)	FINISHES: Code: SS (S/Steel AISI 316L)
---	--	---



* ADD THE VARIABLE CODES TO THE ITEM MASTER CODE.

MAIOR DOWNLIGHT - 5W - Vf 9 v dc If 500 mA / 5 W - 24 v dc * LUMEN & LUX FLOW DATA RELATIVE TO CSL VERSION LED CRI 80 / 3000 K



MODEL SPECIFICS:

MODEL CODE: LUMEN: LM/W: BEAM: CRI:
20MAIOR01 367 83 68° 80




VARIABLE PRODUCT CODES:

POWER SUPPLY: Code: N (Vf 9 If 500 - CSL) Code: D (24 v dc - CLL)	COLOR TEMPERATURE: Code: 2 (2700 Kelvin) Code: 3 (3000 Kelvin)	FINISHES: Code: SS (S/Steel AISI 316L) Code: LA (Lacquered RAL 9010)
---	--	--



* ADD THE VARIABLE CODES TO THE ITEM MASTER CODE.

VIAREGGIO DOWNLIGHT - 10W - Vf 28 v dc If 350 mA / 5 W - 24 v dc * LUMEN & LUX FLOW DATA RELATIVE TO CSL VERSION LED CRI 80 / 3000 K



MODEL SPECIFICS:

MODEL CODE: LUMEN: LM/W: BEAM: CRI:
20VIARE01 680 76 47° 80

VARIABLE PRODUCT CODES:

POWER SUPPLY: Code: N (Vf 28 If 350 - CSL) Code: D (24 v dc - CLL)	COLOR TEMPERATURE: Code: 2 (2700 Kelvin) Code: 3 (3000 Kelvin)	FINISHES: Code: CH (Chrome) Code: LA (Lacquered RAL 9010)
--	--	---



* ADD THE VARIABLE CODES TO THE ITEM MASTER CODE.