



## DICRO 1 1001

REFERENCIA / REFERENCE

### BOMBILLAS / BULBS

1 x Max 35 / 50 W MR16 12 V GU 5,3

1 x Max 35 / 50 W GU10 240 V

1 x Led GU10 / MR16 GU 5,3

Bombilla led opcional ver página 160 a 163

Optional led spot lamp see page 160 to 163

Portalámparas incluido / Lampholder included

Bombillas no incluidas / Spot lamps not included

Color Colour: Blanco / White

Material: Inesplast

Aleación especial de escayola / Special plaster alloy

Plâtre et alliages avec des composants spéciaux

Специальный гипсовый сплав





PRECIO PVP / PRICE:

PRECIO PVP. KIT / KIT PRICE:

(Downlight + Led GU10 240 V 6 W 3000°K 420 Lm)



### MEDIDAS / MEASURES



### MEDIDA CORTE / CUT OUT SIZE




130 mm Altura total con bombilla GU10 240V

Total Height with GU10 240 V lamp

122 mm Altura total con bombilla 12V GU5,3

Total Height with 12 V GU5,3 lamp



Opción aro interior en color negro  
Option ring in black color

Soporte ajustable para placas de yeso (Pladur) de 9 a 18 mm de grueso.  
Aluminium brackets adjustable for plasterboard thickness from 9 to 18 mm

## DICRO 2 1002

REFERENCIA / REFERENCE

### BOMBILLAS / BULBS

2 x Max 35 / 50 W MR16 12 V GU 5,3

2 x Max 35 / 50 W GU10 240 V

2 x Led GU10 / MR16 GU 5,3

Bombilla led opcional ver página 160 a 163

Optional led spot lamp see page 160 to 163

Portalámparas incluido / Lampholder included

Bombillas no incluidas / Spot lamps not included

Color Colour: Blanco / White

Material: Inesplast

Aleación especial de escayola / Special plaster alloy

Plâtre et alliages avec des composants spéciaux

Специальный гипсовый сплав



PRECIO PVP / PRICE:



PRECIO PVP. KIT / KIT PRICE:

[Downlight + 2 x Led GU10 240 V 6 W 3000°K 420 Lm]




48

### MEDIDAS / MEASURES



### MEDIDA CORTE / CUT OUT SIZE



130 mm Altura total con bombilla GU10 240V

Total Height with GU10 240 V lamp


122 mm Altura total con bombilla 12 V GU5,3

Total Height with 12 V GU5,3 lamp



Opción aro interior en color negro  
Option ring in black color

Soporte ajustable para placas de yeso (Pladur) de 9 a 18 mm de grueso.  
Aluminium brackets adjustable for plasterboard thickness from 9 to 18 mm



49

## DICRO 3 1003

REFERENCIA / REFERENCE

### BOMBILLAS / BULBS

3 x Max 35 / 50 W MR16 12 V GU 5,3

3 x Max 35 / 50 W GU10 240 V

3 x Led GU10 / MR16 GU 5,3

Bombilla led opcional ver página 160 a 163

Optional led spot lamp see page 160 to 163

Portalámparas incluido / Lampholder included

Bombillas no incluidas / Spot lamps not included

Color Colour: Blanco / White

Material: Inesplast

Aleación especial de escayola / Special plaster alloy

Plâtre et alliages avec des composants spéciaux


Специальный гипсовый сплав



PRECIO PVP / PRICE:


PRECIO PVP. KIT / KIT PRICE:

[Downlight + 3 x Led GU10 240 V 6 W 3000°K 420 Lm]





50

### MEDIDAS / MEASURES



### MEDIDA CORTE / CUT OUT SIZE




130 mm Altura total con bombilla GU10 240V  
Total Height with GU10 240 V lamp

122 mm Altura total con bombilla 12 V GU5,3  
Total Height with 12 V GU5,3 lamp



Opción aro interior en color negro  
Option ring in black color



51