

Cylinder



Milan

Cilinder

Plafón cilíndrico con base estampada en acero. Sus formas geométricas le dan la neutralidad necesaria para ser incorporado en espacios contract. Su pantalla difusora satinada protege el led y difunde la luz de forma uniforme evitando el deslumbramiento. Encontramos cuatro versiones de acabado con lacado blanco mate, negro mate, granate y dorado metalizado.

Más información en [pág. 90](#)

La neutralidad geométrica

Diseño / Design: Jordi Jané **Variantes:** Lacado blanco mate, lacado negro mate, lacado granate, lacado dorado metalizado **Variations:** Matt white lacquering ^(RAL 9016), matt black lacquering ^(RAL 9005), Burgundy lacquering ^(BCS S-6030-Y90R), metallic golden lacquering ^(similar to 1036)

Cilinder



- 1 REF: 6703
- 2 REF: 6701
- 3 REF: 6702
- 4 REF: 6700

Cylinder



REF: 6702



REF: 6703

Cylinder

Geometric neutrality

Cylindrical ceiling light with stamped steel base. Its geometric shapes give it the necessary neutrality to be incorporated into contract spaces. Its satin glass diffusing shade protects the LED and diffuses light evenly preventing glare. It comes in four finishes: lacquered matte white, lacquered matte black, burgundy and metallic gold.

[More info at page 90](#)

Cilinder

MLN Cilinder / 6700 – 6703

MLN Cilinder / 6700 – 6703


Ø200mm | H 78mm

1x DOB LED | 11 W

845 lumen | 2.700 K | CRI 90

⊕ | ▽ | PMMA | PC | Dim. |

EEI: A+



Características

Plafón con base estampada en acero. Se presenta en lacado blanco mate (RAL 9016), negro mate (RAL 9005), granate (NCS-6020-Y90R) y dorado metalizado (similar a RAL 1036). Incorpora led DOB directo a red de 11 W, con pantalla difusora interior en policarbonato inyectado satinado que, protege al led y, ayuda tanto a la difusión uniforme de la luz como evita el deslumbramiento.

Properties

Ceiling light with stamped steel base. It is presented in different lacquerings: mat white (RAL 9016), mat black (RAL 9005), burgundy (NCS-6020-Y90R) and metallic gold (similar to RAL 1036). Incorporates 11 W LED DOB connected directly to the mains, with satin-finish injected polycarbonate inner diffusing shade that protects the LED, helps distribute light evenly and prevents glare.

Acabados / Finishes

6700 ● Lacado Blanco/White Lacquering

6701 ● Lacado Negro/Black Lacquering

6702 ● Lacado Granate/Burgundy Lacquering

6703 ● Lacado Dorado/Golden Lacquering