

Mini



Milan

Mini

Partiendo de la mínima expresión y la pureza de sus formas, surge esta colección de apliques, que se adapta de modo versátil a los distintos espacios aportando sobriedad y elegancia. Ilumina de forma indirecta proyectando un sugerente halo sobre la superficie. Su base de aluminio inyectado acabado en lacado blanco y negro mate, le confieren una neutralidad exquisita ideal para espacios de contract.

[Más info en Work Book.](#)




REF: 1019-3273

Lo sugerente de lo exquisito

Diseño / Design: Jordi Jané Variantes: Lacado gris metalizado, lacado blanco mate, lacado negro mate
Variations: Metallic gray lacquering (similar to RAL 9006), matt white lacquering (RAL 9016), matt black lacquering (RAL 9005)

Mini



REF: 1020-3274

Mini



REF: 6103-6278

Evoking the exquisite


From the minimal expression and purity of its shapes, comes this collection of wall lights that, in their versatility, adapt to different spaces and deliver simplicity and elegance. They provide indirect lighting by projecting an evocative halo onto the wall's surface. Their die-cast aluminum base, with either a matte black or white lacquer finish, lend them an exquisite neutrality ideal for contract spaces.

[More info at Work Book.](#)

Mini




REF: 4019-4273



REF: 5274-6020

Mini

MINI 15 AC W.



MLN Mini

Datos técnicos Technical data



110 x 45 mm | H. 151 mm
1 x G9 Lámpara | Bulb retrofit
LED 3,8 W Code 2990
470 lumens | 2.700 K | CRI 80
Clase I: Aislamiento básico
Class I: Basic insulation



2 x DOB LED 5W
2x 500 lumens | 2.700 K | CRI 90
3-step MacAdam | PF. 0,95
Clase I: Aislamiento básico
Class I: Basic insulation

Características

Base decorativa y sotabase tanto para ubicación del led como para su fijación a pared, inyectadas en aluminio. Acabados en lacados gris metalizado, blanco y negro mate.

Código Code


- 6019 ● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)
1019 ● Lacado blanco mate / Matt white lacquering (RAL 9016)
4019 ● Lacado negro mate / Matt black lacquering (RAL 9005)

- 5273 ● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)
3273 ● Lacado blanco mate / Matt white lacquering (RAL 9016)
4273 ● Lacado negro mate / Matt black lacquering (RAL 9005)

Properties

Decorative base and rear- base for both LED location and wall mounting, injected in aluminium..Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016) and matt black lacquer (RAL 9005).

MINI 15 AC W.



Datos técnicos Technical data



110 x 45 mm | H. 51 mm
1 x G9 Lámpara | Bulb retrofit
LED 3,8 W Code 2990
470 lumens | 2.700 K | CRI 80
Clase I: Aislamiento básico
Class I: Basic insulation



2 x DOB LED 5W
2x 500 lumens | 2.700 K | CRI 90
3-step MacAdam | PF. 0,95
Clase I: Aislamiento básico
Class I: Basic insulation

Características

Base decorativa y sotabase tanto para ubicación del led como para su fijación a pared, inyectadas en aluminio. Acabados en lacados gris metalizado, blanco y negro mate.

Código Code


- 6020 ● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)
1020 ● Lacado blanco mate / Matt white lacquering (RAL 9016)
4020 ● Lacado negro mate / Matt black lacquering (RAL 9005)

- 5274 ● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)
3274 ● Lacado blanco mate / Matt white lacquering (RAL 9016)
4274 ● Lacado negro mate / Matt black lacquering (RAL 9005)

Properties

Decorative base and rear- base for both LED location and wall mounting, injected in aluminium.Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016) and matt black lacquer (RAL 9005).

MINI 15 AC W.



Datos técnicos Technical data



110 x 45 mm | H. 51 mm
1 x G9 Lámpara | Bulb retrofit
LED 3,8 W Code 2990
470 lumens | 2.700 K | CRI 80
Clase I: Aislamiento básico
Class I: Basic insulation



2 x DOB LED 5W
2x 500 lumens | 2.700 K | CRI 90
3-step MacAdam | PF. 0,95
Clase I: Aislamiento básico
Class I: Basic insulation

Características

Base decorativa y sotabase tanto para ubicación del led como para su fijación a pared, inyectadas en aluminio. Acabados en lacados gris metalizado, blanco y negro mate. Placa en acero para señalética mecanizada por láser. **Otros acabados bajo demanda.**

Código Code

- 6103 ● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

- 6278 ● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

Properties

Decorative base and rear- base for both LED location and wall mounting, injected in aluminium.Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016) and matt black lacquer (RAL 9005). Steel plate for signage, laser machined. **Other finishing under request.**

