

Polifemo



Milan

## Polifemo

Colección de plafones de superficie plana que se adaptan de forma neutra a las necesidades de cualquier espacio de contract o hábitat. Su aspecto racional y la iluminación homogénea que proyectan, los convierte en un básico de la iluminación, idóneos para iluminar uniformemente cualquier ambiente. Su diseño con sistema de fijación mediante "clipping" facilita su instalación. La colección cuenta con cuatro formatos y con dos versiones de acabados en lacados.

[Más info en Work Book.](#)



REF: 6077

# Homogénea neutralidad

Diseño / Design: Jordi Jané Variantes: Lacado blanco mate, lacado gris metalizado  
Variations: Matt white lacquering (RAL 9016), metallic gray lacquering (similar to RAL 9006)

## Polifemo



REF: 4077

## Polifemo



REF: 4034

## Homogeneous neutrality

Collection of flat-surface ceiling lights that adapt neutrally to the needs of any contract or living space. Their rational appearance and homogeneous projection of light make them a lighting basic, suitable for uniformly illuminating any environment. Their design, which includes clip-on fastening, makes for an easy installation. The collection features four variants and two versions with a lacquer finish.  
[More info at Work Book.](#)

## Polifemo



REF: 4033




REF: 4035

# Polifemo

MLN Polifemo

Polifemo 39 AC C.S.

**Datos técnicos**  
**Technical data**



270 x 390 mm | H. 76 mm  
2 x GU10 Lámpara | Bulb retrofit



LED 8 W Ø 63 mm Code 2098 | CRI 80  
720 lumens | 2.700 K



LED 8 W Ø 50 mm Code 2123 | CRI 80  
700 lumens | 2.700 K  
Dimable | Dimmable  
Clase I: Aislamiento básico  
Class I: Basic insulation

## Características

Marco decorativo y sotabase en acero mecanizado. Acabados en lacado gris metalizado y lacado blanco mate. Pieza decorativa que integra el cabezal de la lámpara GU10, en policarbonato inyectado. Acabados en lacado gris metalizado y lacado blanco mate. Fijación del marco decorativo mediante "clipping". Incluido anillo adaptador en policarbonato inyectado para lámparas MR16, color gris para modelo 6033 y color blanco para modelo 4033.

**Código**  
**Code**

4033 ●  
6033 ●

**Acabados**  
**Finishes**


Lacado blanco/ Matt white lacquering (RAL 9016)  
Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

## Properties

Decorative frame and rear-base in machined steel. Finished in metallic grey lacquering (similar to RAL 6006 matt) and matt white lacquering (RAL 9016). Decorative piece that integrates the GU10 lamp head, in injected polycarbonate. Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016). Decorative frame is affixed with a clip-on mechanism. Included adapter ring in injected polycarbonate for MR16 lamps, gray for model 6033

Polifemo 63 AC C.S.

**Datos técnicos**  
**Technical data**



270 x 630 mm | H. 76 mm  
4 x GU10 Lámpara | Bulb retrofit



LED 8 W Ø 63 mm Code 2098 | CRI 80  
720 lumens | 2.700 K



LED 8 W Ø 50 mm Code 2123 | CRI 80  
700 lumens | 2.700 K  
Dimable | Dimmable  
Clase I: Aislamiento básico  
Class I: Basic insulation

## Características

Marco decorativo y sotabase en acero mecanizado. Acabados en lacado gris metalizado y lacado blanco mate. Pieza decorativa que integra el cabezal de la lámpara GU10, en policarbonato inyectado. Acabados en lacado gris metalizado y lacado blanco mate. Fijación del marco decorativo mediante "clipping". Incluido anillo adaptador en policarbonato inyectado para lámparas MR16, color gris para modelo 6034 y color blanco para modelo 4034.

**Código**  
**Code**

4034 ●  
6034 ●

**Acabados**  
**Finishes**

Lacado blanco/ Matt white lacquering (RAL 9016)  
Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

## Properties

Decorative frame and rear-base in machined steel. Finished in metallic grey lacquering (similar to RAL 6006 matt) and matt white lacquering (RAL 9016). Decorative piece that integrates the GU10 lamp head, in injected polycarbonate. Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016). Decorative frame is affixed with a clip-on mechanism. Included adapter ring in injected polycarbonate for MR16 lamps, gray for model 6034 and white for model 4034.

Polifemo 100 AC C.S.

**Datos técnicos**  
**Technical data**



270 x 630 mm | H. 76 mm  
4 x GU10 Lámpara | Bulb retrofit



LED 8 W Ø 63 mm Code 2098 | CRI 80  
720 lumens | 2.700 K



LED 8 W Ø 50 mm Code 2123 | CRI 80  
700 lumens | 2.700 K  
Dimable | Dimmable  
Clase I: Aislamiento básico  
Class I: Basic insulation

## Características

Marco decorativo y sotabase en acero mecanizado. Acabados en lacado gris metalizado y lacado blanco mate. Pieza decorativa que integra el cabezal de la lámpara GU10, en policarbonato inyectado. Acabados en lacado gris metalizado y lacado blanco mate. Fijación del marco decorativo mediante "clipping". Incluido anillo adaptador en policarbonato inyectado para lámparas MR16, color gris para modelo 6035 y color blanco para modelo 4035.

**Código**  
**Code**

4035 ●  
6035 ●

**Acabados**  
**Finishes**


Lacado blanco/ Matt white lacquering (RAL 9016)  
Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

## Properties

Decorative frame and rear-base in machined steel. Finished in metallic grey lacquering (similar to RAL 6006 matt) and matt white lacquering (RAL 9016). Decorative piece that integrates the GU10 lamp head, in injected polycarbonate. Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016). Decorative frame is affixed with a clip-on mechanism. Included adapter ring in injected polycarbonate for MR16 lamps, gray for model 6035 and white for model 4035.

Polifemo 100 AC C.S.

**Datos técnicos**  
**Technical data**



270 x 1000 mm | H. 76 mm  
5 x GU10 Lámpara | Bulb retrofit



LED 8 W Ø 63 mm Code 2098 | CRI 80  
720 lumens | 2.700 K



LED 8 W Ø 50 mm Code 2123 | CRI 80  
700 lumens | 2.700 K  
Dimable | Dimmable  
Clase I: Aislamiento básico  
Class I: Basic insulation

## Características

Marco decorativo y sotabase en acero mecanizado. Acabados en lacado gris metalizado y lacado blanco mate. Pieza decorativa que integra el cabezal de la lámpara GU10, en policarbonato inyectado. Acabados en lacado gris metalizado y lacado blanco mate. Fijación del marco decorativo mediante "clipping". Incluido anillo adaptador en policarbonato inyectado para lámparas MR16, color gris para modelo 6049 y color blanco para modelo 4049.

**Código**  
**Code**

4077 ●  
6077 ●

**Acabados**  
**Finishes**


Lacado blanco/ Matt white lacquering (RAL 9016)  
Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

## Properties

Decorative frame and rear-base in machined steel. Finished in metallic grey lacquering (similar to RAL 6006 matt) and matt white lacquering (RAL 9016). Decorative piece that integrates the GU10 lamp head, in injected polycarbonate. Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016). Decorative frame is affixed with a clip-on mechanism. Included adapter ring in injected polycarbonate for MR16 lamps, gray for model 6049 and white for model 4049.

## Polifemo 20 AC C.S.

### Datos técnicos Technical data



200 x 200 mm | H. 76 mm  
1 x GU10 Lámpara | Bulb retrofit



LED 8 W Ø 63 mm Code 2098 | CRI 80  
720 lumens | 2.700 K



LED 8 W Ø 50 mm Code 2123 | CRI 80  
700 lumens | 2.700 K

Dimable | Dimmable

Clase I: Aislamiento básico

Class I: Basic insulation

### Código Code

4077

6077

### Acabados Finishes

● Lacado blanco/ Matt white lacquering (RAL 9016)

● Lacado gris metalizado / Metallic gray lacquering (similar to 9006 matt)

### Características

Marco decorativo y sotabase en acero mecanizado. Acabados en lacado gris metalizado y lacado blanco mate. Pieza decorativa que integra el cabezal de la lámpara GU10, en policarbonato inyectado. Acabados en lacado gris metalizado y lacado blanco mate. Fijación del marco decorativo mediante "clipping". Incluido anillo adaptador en policarbonato inyectado para lámparas MR16, color gris para modelo 6077 y color blanco para modelo 4077.

### Properties

Decorative frame and rear-base in machined steel. Finished in metallic grey lacquering (similar to RAL 6006 matt) and matt white lacquering (RAL 9016). Decorative piece that integrates the GU10 lamp head, in injected polycarbonate. Finishing in metallic grey lacquering (similar to 9006 matt) matt white lacquer (RAL 9016). Decorative frame is affixed with a clip-on mechanism. Included adapter ring in injected polycarbonate for MR16 lamps, gray for model 6077 and white for model 4077.

