

	Parameter	Value
1	Company	"De Majo Illuminazione S.r.L."
2	Type indicator	3
3	Symmetry indicator	4
4	Number of C-planes	24
5	Distance between C-planes	15
6	Number of luminous intensities in each C-plane	35
7	Distance between luminous intensities per C-plane	5
8	Measurement report number	"M065 / 1000lm Norm0"
9	Luminaire name	"Otto Per Otto Hal G9 1x6"
10	Luminaire number	"Otto Per Otto"
11	File name	"M065"
12	Date/User	"27/07/2007"
13	Length/Diameter of luminaire	80
14	Width of luminaire	80
15	Height of luminaire	80
16	Length/Diameter of luminous area	80
17	Width of luminous area	80
18	Height of luminous area C0-plane	0
19	Height of luminous area C90-plane	0
20	Height of luminous area C180-plane	0
21	Height of luminous area C270-plane	0
22	Downward flux fraction	56.38
23	Light output ratio luminaire	77.93
24	Conversion factor optical -> luminous intensities	1
25	Tilt during measurement (important for street luminaires)	0

	Number of lamps	Type of lamps	Luminous flux	Colour temperature	Colour rendering index
1	1	"Alogena bispina	816	"2900 K"	"75"

	Wattage including ballast
1	60

	C0	C15	C30	C45	C60	C75	C90
0	44.725	44.725	44.725	44.725	44.725	44.725	44.725
5	52.556	50.761	54.348	50.588	58.013	55.108	58.169
10	52.719	50.091	58.408	46.337	61.195	49.384	56.211
15	59.606	58.757	65.499	57.666	71.654	59.893	65.098
20	66.169	66.414	74.972	67.64	78.268	68.763	70.136
25	65.926	72.554	74.006	68.761	83.906	69.398	77.707
30	61.01	66.101	74.817	66.068	87.462	65.015	82.841
35	55.312	60.014	75.549	61.479	86.383	59.707	79.44
40	51.045	56.927	71.965	63.093	82.671	58.053	70.328
45	54.501	60.427	75.283	67.495	82.329	59.496	64.617
50	55.852	62.217	78.982	72.112	85.817	60.903	64.36
55	55.555	63.818	80.168	75.376	86.716	60.967	62.724
60	55.554	62.712	82.091	76.472	87.247	60.584	62.05
65	54.853	62.229	81.649	78.052	87.134	60.229	61.151
70	52.557	62.185	81.66	79.506	86.712	60.463	60.446
75	51.963	60.867	82.677	79.789	88.483	60.261	60.093
80	51.693	59.992	84.854	79.289	89.727	58.989	60.703
85	51.395	59.983	84.553	79.914	90.027	57.673	59.868
90	50.207	60.784	84.767	81.941	90.679	57.879	57.751
95	50.315	60.536	82.302	80.551	87.441	56.943	57.013
100	50.18	59.216	80.694	80.395	86.549	55.794	57.59
105	48.371	57.813	77.76	76.517	83.896	54.72	55.73
110	48.425	56.821	74.888	73.803	81.271	55.113	56.018
115	47.993	55.103	72.2	70.678	79.202	53.565	54.991
120	44.86	52.93	68.613	66.637	75.127	52.092	53.708
125	42.888	50.041	63.606	62.253	69.327	49.311	50.563
130	41.132	47.244	58.485	56.876	65.184	46.273	47.163
135	37.027	43.623	51.459	51.266	56.773	42.247	43.057
140	33.219	38.85	45.567	45.875	50.208	38.277	39.27
145	30.005	34.965	39.418	39.651	43.11	33.813	34.939
150	26.494	29.913	33.786	33.807	36.461	29.046	30.223
155	23.118	25.569	27.98	27.826	29.526	24.934	25.281
160	19.31	20.849	20.772	21.975	23.318	20.146	20.853
165	14.286	15.742	15.168	16.091	18.313	15.251	16.362
170	15.61	12.569	12.965	12.605	14.597	12.386	13.988

